LLAMA-OMNI: SEAMLESS SPEECH INTERACTION WITH LARGE LANGUAGE MODELS

Qingkai Fang^{1,3}, Shoutao Guo^{1,3}, Yan Zhou^{1,3}, Zhengrui Ma^{1,3}, Shaolei Zhang^{1,3}, Yang Feng^{1,2,3*}

¹ Key Laboratory of Intelligent Information Processing

Institute of Computing Technology, Chinese Academy of Sciences (ICT/CAS)

² Key Laboratory of AI Safety, Chinese Academy of Sciences

³ University of Chinese Academy of Sciences, Beijing, China

{fangqingkai21b, fengyang}@ict.ac.cn

Abstract

Models like GPT-40 enable real-time interaction with large language models (LLMs) through speech, significantly enhancing user experience compared to traditional text-based interaction. However, there is still a lack of exploration on how to build speech interaction models based on open-source LLMs. To address this, we propose LLaMA-Omni, a novel model architecture designed for low-latency and high-quality speech interaction with LLMs. LLaMA-Omni integrates a pretrained speech encoder, a speech adaptor, an LLM, and a streaming speech decoder. It eliminates the need for speech transcription, and can simultaneously generate text and speech responses directly from speech instructions with extremely low latency. We build our model based on the latest Llama-3.1-8B-Instruct model. To align the model with speech interaction scenarios, we construct a dataset named InstructS2S-200K, which includes 200K speech instructions and corresponding speech responses. Experimental results show that compared to previous speech-language models, LLaMA-Omni provides better responses in both content and style, with a response latency as low as 226ms. Additionally, training LLaMA-Omni takes less than 3 days on just 4 GPUs, paving the way for the efficient development of speech-language models in the future.¹

1 INTRODUCTION

Large language models (LLMs), represented by ChatGPT (OpenAI, 2022), have become powerful general-purpose task solvers, capable of assisting people in daily life through conversational interactions. However, most LLMs currently only support text-based interactions, which limits their application in scenarios where text input and output are not ideal. Recently, the emergence of GPT-40 (OpenAI, 2024) has made it possible to interact with LLMs through speech, responding to user's instruction with extremely low latency and significantly enhancing the user experience. However, there is still a lack of exploration in the open-source community on building such speech interaction models based on LLMs. Therefore, how to achieve low-latency and high-quality speech interaction with LLMs is a pressing challenge that needs to be addressed.

The simplest way to enable speech interaction with LLMs is through a cascaded system based on automatic speech recognition (ASR) and text-to-speech (TTS) models, where the ASR model transcribes the user's speech instruction into text, and the TTS model synthesizes the LLM's response into speech. However, since the cascaded system sequentially outputs the transcribed text, text response, and speech response, the overall system tends to have higher latency. In contrast, some multimodal speech-language models have been proposed (Zhang et al., 2023; Rubenstein et al., 2023), which discretize speech into tokens and extend the LLM's vocabulary to support speech input and output. Such speech-language models theoretically can generate speech responses directly

^{*}Corresponding Author: Yang Feng.

¹Code and model are available at https://github.com/ictnlp/LLaMA-Omni.





from speech instructions without producing intermediate text, thereby achieving extremely low response latency. However, in practice, direct speech-to-speech generation can be challenging due to the complex mapping involved, so it is common to generate intermediate text to achieve higher generation quality (Zhang et al., 2023), although this sacrifices some response latency.

In this paper, we propose a novel model architecture, LLaMA-Omni, which enables low-latency and high-quality interaction with LLMs. LLaMA-Omni consists of a speech encoder, a speech adaptor, an LLM, and a streaming speech decoder. The user's speech instruction is encoded by the speech encoder followed by the speech adaptor, and then input into the LLM. The LLM decodes the text response directly from the speech instruction, without first transcribing the speech into text. The speech decoder is a non-autoregressive (NAR) streaming Transformer (Ma et al., 2023), which takes the output hidden states of the LLM as input and uses connectionist temporal classification (CTC; Graves et al., 2006a) to predict the sequence of discrete units corresponding to the speech response. During inference, as the LLM autoregressively generates the text response, the speech decoder simultaneously generates the corresponding discrete units. To better align with the characteristics of speech interaction scenarios, we construct a dataset named InstructS2S-200K by rewriting existing text instruction data and performing speech synthesis. Experimental results show that LLaMA-Omni can simultaneously generate high-quality text and speech responses with a latency as low as 226ms. Additionally, compared to previous speech-language models like SpeechGPT (Zhang et al., 2023), LLaMA-Omni significantly reduces the required training data and computational resources, enabling the efficient development of powerful speech interaction models based on the latest LLMs.

2 MODEL: LLAMA-OMNI

In this section, we introduce the model architecture of LLaMA-Omni. As shown in Figure 2, it consists of a speech encoder, a speech adaptor, an LLM, and a speech decoder. We denote the user's speech instruction, text response, and speech response as X^S , Y^T , and Y^S respectively.

2.1 Speech Encoder

We use the encoder of Whisper-large-v3² (Radford et al., 2023) as the speech encoder \mathcal{E} . Whisper is a general-purpose speech recognition model trained on a large amount of audio data, and its encoder is capable of extracting meaningful representations from speech. Specifically, for the user's speech instruction X^S , the encoded speech representation is given by $\mathbf{H} = \mathcal{E}(X^S)$, where $\mathbf{H} = [\mathbf{h}_1, ..., \mathbf{h}_N]$ is the speech representation sequence of length N. We keep the speech encoder's parameters frozen throughout the entire training process.

2.2 Speech Adaptor

To enable the LLM to comprehend the input speech, we incorporate a trainable speech adaptor A that maps the speech representations into the embedding space of the LLM. Following Ma et al. (2024c), our speech adaptor first downsamples the speech representations **H** to reduce the sequence length. Specifically, every k consecutive frames are concatenated along the feature dimension:

$$\mathbf{H}' = \begin{bmatrix} \mathbf{h}'_1, ..., \mathbf{h}'_{\lfloor N/k \rfloor} \end{bmatrix}, \text{ where } \mathbf{h}'_i = \begin{bmatrix} \mathbf{h}_{k \times (i-1)+1} \oplus \mathbf{h}_{k \times (i-1)+2} \oplus \cdots \oplus \mathbf{h}_{k \times i} \end{bmatrix}.$$
(1)

²https://huggingface.co/openai/whisper-large-v3



Figure 2: Left: Model architecture of LLaMA-Omni. Right: Illustration of the two-stage training strategy for LLaMA-Omni.

Next, \mathbf{H}' is passed through a 2-layer perceptron with ReLU activation between the linear layers, resulting in the final speech representation \mathbf{S} . The above process can be formalized as follows:

$$\mathbf{S} = \mathcal{A}(\mathbf{H}) = \text{Linear}(\text{ReLU}(\text{Linear}(\text{DownSample}(\mathbf{H})))).$$
(2)

2.3 LARGE LANGUAGE MODEL

We use Llama-3.1-8B-Instruct³ (Dubey et al., 2024) as the LLM \mathcal{M} , which is currently the stateof-the-art open-source LLM. It has strong reasoning capabilities and is well-aligned with human preferences. The prompt template $\mathcal{P}(\cdot)$ is shown in Figure 3. The speech representation sequence **S** is filled into the position corresponding to **speech>**, and then the entire sequence $\mathcal{P}(\mathbf{S})$ is input into the LLM. Finally, the LLM autoregressively generates the text response $Y^T = [y_1^T, ..., y_M^T]$ directly based on the speech instruction and is trained using cross-entropy loss:

$$\mathcal{L}_{\text{LLM}} = -\sum_{i=1}^{M} \log P(y_i^T | \mathcal{P}(\mathbf{S}), Y_{< i}^T).$$
(3)

2.4 SPEECH DECODER

For the speech response Y^S , we first follow Zhang et al. (2023) to discretize the speech into discrete units. Specifically, we use the pretrained HuBERT (Hsu et al., 2021) model to extract continuous representations of the speech, and then convert these representations into discrete cluster indices using a K-means model. Subsequently, consecutive identical indices are merged into a single unit, resulting in the final discrete unit sequence $Y^U = [y_1^U, ..., y_L^U], y_i^U \in \{0, 1, ..., K-1\}, \forall 1 \le i \le L$, where K is the number of clusters, and L is the length of discrete unit sequence. The discrete units can be converted into waveform with an additional unit-based vocoder \mathcal{V} (Polyak et al., 2021).

To generate speech responses simultaneously with text responses, we add a streaming speech decoder \mathcal{D} after the LLM. It consists of several standard Transformer (Vaswani et al., 2017) layers with the same architecture as LLaMA (Dubey et al., 2024), each containing a causal self-attention module and a feed-forward network. Similar to Ma et al. (2024a); Zhang et al. (2024b), the speech decoder runs in a non-autoregressive manner, which takes the output hidden states from the LLM as input, and generates the discrete unit sequence corresponding to the speech response. Specifically, the output hidden states corresponding to the text response are denoted as $\mathbf{C} = [\mathbf{c}_1, ..., \mathbf{c}_M]$, where $\mathbf{c}_i = \mathcal{M}(\mathcal{P}(\mathbf{S}), Y_{<i}^T)$. We first upsample each hidden state into a chunk by a factor of λ , resulting in

³https://huggingface.co/meta-llama/Meta-Llama-3.1-8B-Instruct

<|begin_of_text|><|start_header_id|>system<|end_header_id|>
You are a helpful language and speech assistant. You are able to
understand the speech content that the user provides, and assist the
user with a variety of tasks using natural language.<|eot_id|>
<|start_header_id|>user<|end_header_id|>
</speech>
Please answer the questions in the user's input speech.<|eot_id|>
<|start_header_id|>assistant<|end_header_id|>
</or>



an upsampled hidden state sequence $\widehat{\mathbf{C}} = [\widehat{\mathbf{c}}_1, ... \widehat{\mathbf{c}}_{\lambda \cdot M}]$, where $\widehat{\mathbf{c}}_i = \mathbf{c}_{\lfloor i/\lambda \rfloor}$. Next, $\widehat{\mathbf{C}}$ is fed into the speech decoder \mathcal{D} , and the output hidden state sequence is denoted as $\mathbf{O} = [\mathbf{o}_1, ..., \mathbf{o}_{\lambda \cdot M}]$. We use connectionist temporal classification (CTC; Graves et al., 2006a) to align \mathbf{O} with the discrete unit sequence Y^U . Specifically, CTC extends the output space with a special blank token ϵ :

$$P(a_i|\mathbf{O}) = \operatorname{softmax}(\mathbf{Wo}_i + \mathbf{b})[a_i], \forall a_i \in \{0, 1, \dots, K-1, \epsilon\},$$
(4)

where $\mathbf{W} \in \mathbb{R}^{(K+1) \times d}$ and $\mathbf{b} \in \mathbb{R}^{K+1}$ are weights and biases of the linear layer, and the sequence $A = [a_1, ..., a_{\lambda \cdot M}]$ is known as the *alignment*. To model the variable-length mapping between input and output, CTC introduces a collapsing function $\beta(A)$, which first merges all consecutive repeated tokens in A and then eliminates all blank tokens ϵ . For instance: $\beta([1, 1, 2, \epsilon, \epsilon, 2, 3]) = [1, 2, 2, 3]$. During training, CTC performs marginalization over all possible alignments as follows:

$$\mathcal{L}_{\text{CTC}} = -\log P(Y^U | \mathbf{O}) = -\log \sum_{A \in \beta^{-1}(Y^U)} P(A | \mathbf{O}) = -\log \sum_{A \in \beta^{-1}(Y^U)} \prod_{i=1}^{\lambda \cdot M} P(a_i | \mathbf{O}), \quad (5)$$

where $\beta^{-1}(Y^U)$ denotes all possible alignments of length $\lambda \cdot M$ that can be collapsed to Y^U . The alignment is modeled in a non-autoregressive way. During inference, we select the best alignment $A^* = \arg \max_A P(A|\mathbf{O})$, and apply the collapsing function to obtain the discrete unit sequence $\beta(A^*)$, which is then fed into the vocoder to synthesize waveform.

2.5 TRAINING

As shown in Figure 2, we adopt a two-stage training strategy for LLaMA-Omni. In the first stage, we train the model to generate text responses directly from the speech instructions. Specifically, the speech encoder is frozen, and the speech adaptor and the LLM are trained using the objective \mathcal{L}_{LLM} in Eq. (3). The speech decoder is not involved in training during this stage. In the second stage, we train the model to generate speech responses. During this stage, the speech encoder, speech adaptor, and LLM are all frozen, and only the speech decoder is trained using the objective \mathcal{L}_{CTC} in Eq. (5).

2.6 INFERENCE

During inference, the LLM autoregressively generates the text response based on the speech instruction. Meanwhile, since our speech decoder uses causal attention, once the LLM generates a text response prefix $Y_{\leq i}^T$, the corresponding upsampled hidden states $\widehat{C}_{\leq \lambda \cdot i}$ can be fed into the speech decoder to generate a partial alignment $A_{\leq \lambda \cdot i}$, which in turn yields the discrete units corresponding to the generated text prefix. To further enable streaming synthesis of speech waveforms, when the number of generated units reaches a pre-defined chunk size Ω , we input this unit segment into the vocoder to synthesize a speech segment, which is then immediately played to the user. As a result, users can start listening to the speech response without waiting for the complete text response to be generated, ensuring low response latency that is not affected by the length of the text response. Algorithm 1 describes the above process. Additionally, since the speech decoder uses non-autoregressive modeling, the alignment corresponding to each text token y_i^T , specifically $A_{\lambda \cdot (i-1)+1:\lambda \cdot i}$, is generated in parallel within the chunk. Therefore, the decoding speed for generating both text and speech simultaneously is not significantly different from the speed of generating text alone.

3 CONSTRUCTION OF SPEECH INSTRUCTION DATA: INSTRUCTS2S-200K

To train LLaMA-Omni, we need triplet data consisting of <speech instruction, text response, speech response>. However, most publicly available instruction data is in text form. Therefore, we construct speech instruction data based on existing text instruction data through the following process:

Step 1: Instruction Rewriting Since speech input has different characteristics compared to text input, we rewrite the text instructions according to the following rules: (1) Add appropriate filler words (such as "hey", "so", "uh", "um", etc.) to the instructions to simulate natural speech patterns. (2) Convert non-text symbols in the instructions (such as numbers) into their corresponding spoken forms to ensure correct synthesis by TTS. (3) Modify the instructions to be relatively brief without excessive verbiage. We use the Llama-3-70B-Instruct⁴ model to rewrite the instructions according to these rules. The prompt can be found in Appendix A.

Step 2: Response Generation In speech interactions, existing responses from text instructions are not suitable for direct use as speech instruction responses. This is because, in text-based interactions, models tend to generate lengthy responses, using complex sentences and possibly including non-verbal elements like ordered lists or parentheses. However, in speech interactions, concise yet informative responses are typically preferred (Anonymous, 2024). Therefore, we use the Llama-3-70B-Instruct model to generate responses for speech instructions according to the fol-

lowing rules: (1) The response should not contain content that cannot be synthesized by the TTS model, such as parentheses, ordered lists, etc. (2) The response should be very concise and to the point, avoiding lengthy explanations. The prompt can be found in Appendix A.

Step 3: Speech Synthesis After obtaining the instructions and responses suitable for speech interactions, we need to further convert them into speech using TTS models. For the instructions, to make the synthesized speech sound more natural, we use the CosyVoice-300M-SFT (Du et al., 2024) model⁵, randomly selecting either a male or female voice for each instruction. For the responses, we use the VITS (Kim et al., 2021) model⁶ trained on the LJSpeech (Ito & Johnson, 2017) dataset to synthesize the responses into a standard voice.

For the basic text instructions, we collect around 50K instructions from the Alpaca dataset⁷ (Taori et al., 2023), which covers a wide range of topics. Additionally, we gather around 150K instructions from the UltraChat dataset⁸ (Ding et al., 2023), which primarily consist of questions about the world. Note that UltraChat is a large-scale multi-turn conversation dataset, but we only select the first 150K entries and use only the first-round instruction. Using the above datasets and data processing pipeline, we ultimately obtain 200K speech instruction data, referred to as **InstructS2S-200K**.

⁴https://huggingface.co/meta-llama/Meta-Llama-3-70B-Instruct

⁵https://github.com/FunAudioLLM/CosyVoice

⁶https://github.com/jaywalnut310/vits

⁷https://huggingface.co/datasets/tatsu-lab/alpaca

⁸https://github.com/thunlp/UltraChat

4 **EXPERIMENTS**

4.1 EXPERIMENTAL SETUPS

Datasets For the training data, we use the **InstructS2S-200K** dataset mentioned in Section 3, which includes 200K speech instruction data. To extract discrete units corresponding to the target speech, we use a pre-trained K-means quantizer⁹, which has learned 1000 clusters from the HuBERT features. The pretrained HiFi-GAN vocoder (Kong et al., 2020; Polyak et al., 2021) is used to synthesize discrete units into waveform. For the evaluation data, we select two subsets from Alpaca-Eval¹⁰ (Li et al., 2023): *helpful_base* and *vicuna*, as their questions are more suitable for speech interaction scenarios. We remove questions related to math and code, resulting in a total of 199 instructions. To obtain the speech version, we use the CosyVoice-300M-SFT model to synthesize the instructions into speech. We refer to this test set as **InstructS2S-Eval** in the following sections.

Model Configuration We use the encoder of Whisper-large-v3 as the speech encoder, and use Llama-3.1-8B-Instruct as the LLM. The speech adapter performs a $5 \times$ downsampling on the speech representations. The speech decoder consists of 2 Transformer layers with the same architecture as LLaMA, with a hidden dimension of 4096, 32 attention heads, and a feed-forward network dimension of 11008, which contains 425M parameters. The upsample factor λ is set to 25. For the minimum unit chunk size Ω input to the vocoder, we set $\Omega = +\infty$ in the main experiment, meaning we wait for the entire unit sequence to be generated before inputting it to the vocoder for speech synthesis. In subsequent experiments, we will analyze how adjusting the value of Ω can control response latency, as well as the trade-off between latency and speech quality.

Training LLaMA-Omni follows a two-stage training process. In the first stage, we train the speech adapter and the LLM with a batch size of 32 for 3 epochs. We use a cosine learning rate scheduler with the first 3% of steps for warmup, and the peak learning rate is set to 2e-5. In the second stage, we train the speech decoder, using the same batch size, number of steps, and learning rate scheduler as the first stage, but with the peak learning rate set to 2e-4. The entire training process takes approximately 65 hours on 4 NVIDIA L40 GPUs.

4.2 EVALUATION

Since LLaMA-Omni can generate both text and speech responses based on speech instructions, we evaluate the model's performance on two tasks: speech-to-text instruction-following (S2TIF) and speech-to-speech instruction-following (S2SIF). We use greedy search to ensure reproducible experimental results. The model is evaluated from the following aspects:

ChatGPT Score To evaluate the model's ability to follow speech instructions, we use GPT-40 (OpenAI, 2024) to score the model's responses. For the S2TIF task, scoring is based on the transcribed text of the speech instructions and the model's text response. For the S2SIF task, we first transcribe the model's speech responses into text using the Whisper-large-v3 model, and then score it in the same manner as the S2TIF task. GPT-40 gives scores on two aspects: *content* and *style*. The **content score** evaluates whether the model's response adequately addresses the user's instruction, while the **style score** assesses whether the model's response style is suitable for speech interaction scenarios. The detailed prompt can be found in Appendix A.

Speech-Text Alignment To evaluate the alignment between text responses and speech responses, we use the Whisper-large-v3 model to transcribe the speech responses into text, and then calculate the Word Error Rate (WER) and Character Error Rate (CER) between the transcribed text and the text response. We refer to these metrics as **ASR-WER** and **ASR-CER**, respectively.

⁹https://dl.fbaipublicfiles.com/hubert/mhubert_base_vp_en_es_fr_it3_ L11_km1000.bin

¹⁰https://github.com/tatsu-lab/alpaca_eval

Model	S2TIF		S2SIF		Alignment	
	Content ↑	Style \uparrow	Content ↑	Style ↑	ASR-WER↓	ASR-CER↓
SpeechGPT	2.59	3.15	1.58	1.81	47.62	37.26
SALMONN (+TTS)	2.57	2.79	2.46	2.84	21.77	20.25
Qwen2-Audio (+TTS)	2.73	2.64	2.32	2.58	55.72	53.09
LLaMA-Omni	3.23	3.81	2.69	3.12	11.61	7.59

Table 1: ChatGPT scores for S2TIF and S2SIF tasks on the InstructS2S-Eval benchmark, along with the alignment scores between speech and text responses. Here we set $\Omega = +\infty$ for the S2SIF task.

Speech Quality To evaluate the quality of the generated speech, we utilize a Mean Opinion Score (MOS) prediction model called UTMOS¹¹ (Saeki et al., 2022), which is capable of predicting the MOS score of the speech to assess its naturalness. We refer to this metric as the **UTMOS** score.

Response Latency The **latency** is a key metric for speech interaction models, referring to the time interval between the input of a speech instruction and the start of the speech response, which has a significant impact on user experience. Additionally, we calculate the number of words already generated in the text response when the speech response begins, referred to as the **#lagging word**.

4.3 BASELINE SYSTEMS

We include the following speech-language models as baseline systems:

SpeechGPT SpeechGPT (Zhang et al., 2023) is a speech-language model that supports both speech input and output. We use the chain-of-modality prompting adopted in the original paper for decoding, which sequentially outputs the text instruction, text response, and speech response based on the speech instruction.

SALMONN (+TTS) SALMONN (Tang et al., 2024) is a LLM capable of accepting speech and audio inputs and responding with text, enabling it to perform the S2TIF task. For the S2SIF task, we add a VITS TTS model after SALMOON to generate speech responses in a cascaded manner.

Qwen2-Audio (**+TTS**) Qwen2-Audio (Chu et al., 2024) is a powerful general-purpose audio understanding model capable of performing various audio-related tasks, including the S2TIF task. We also build a cascaded system with Qwen2-Audio and VITS to complete the S2SIF task.

4.4 MAIN RESULTS

Table 1 presents the main results on the InstructS2S-Eval benchmark. First, for the S2TIF task, from the content perspective, LLaMA-Omni shows significant improvement compared to previous models. This is mainly because LLaMA-Omni is developed based on the latest Llama-3.1-8B-Instruct model, leveraging its strong text instruction-following capabilities. From the style perspective, SALMONN and Qwen2-Audio receive lower scores, as they are speech-to-text models. Their output style is not aligned with speech interaction scenarios, often producing formatted content and containing a lot of redundant explanations. In contrast, SpeechGPT, as a speech-to-speech model, achieves a higher style score. Similarly, our LLaMA-Omni attains the highest style score, indicating that after being trained on our InstructS2S-200K dataset, the output style has been well-aligned with speech interaction scenarios. For the S2SIF task, LLaMA-Omni also outperforms previous models in both content and style scores. This further confirms that LLaMA-Omni is capable of effectively addressing user's instructions with speech in a concise and efficient manner.

Additionally, in terms of alignment between speech and text responses, LLaMA-Omni achieves the lowest ASR-WER and ASR-CER scores. In contrast, SpeechGPT performs poorly in aligning speech and text responses, likely due to its sequential generation of text and speech. The speechtext alignment of cascaded systems, such as SALMONN+TTS and Qwen2-Audio+TTS, is also

¹¹https://github.com/tarepan/SpeechMOS

	•••	0 1	1 0		
Chunk Size Ω	Latency (ms)	#Lagging Word	$\mathbf{ASR}\text{-}\mathbf{WER}\downarrow$	$\mathbf{ASR}\textbf{-}\mathbf{CER}\downarrow$	UTMOS \uparrow
10	226.13	1.82	10.44	6.94	3.2304
20	256.28	2.83	10.51	6.98	3.4748
40	326.63	4.68	10.99	7.24	3.6688
60	391.96	6.47	11.17	7.27	3.7549
80	467.34	8.29	11.40	7.45	3.7858
100	527.64	10.02	11.48	7.45	3.8242
$+\infty$	1924.62	41.40	11.61	7.59	3.9296

Table 2: Latency	speech-text alignment and	l speech quality	under different	unit chunk sizes
10010 2. Datency,	specchi text anglinent and	i specen quant,	ander uniterent	, unit chunk sizes.

suboptimal, primarily because the generated text responses may contain characters that cannot be synthesized into speech. This issue is especially evident in Qwen2-Audio, which occasionally outputs Chinese characters, introducing errors in the speech responses. In comparison, LLaMA-Omni achieves the lowest ASR-WER and ASR-CER scores, demonstrating a higher degree of alignment between generated speech and text responses, and further validating the advantage of our approach in simultaneously generating both text and speech responses.

4.5 TRADE-OFF BETWEEN SPEECH QUALITY AND RESPONSE LATENCY

LLaMA-Omni can simultaneously generate both text responses and discrete units corresponding to the speech response. As described in Section 2.6, to further enable streaming waveform generation, when the number of generated discrete units reaches a certain chunk size Ω , the unit chunk is fed into the vocoder to synthesize and play the speech. By adjusting the value of Ω , we can control the system's latency, where a smaller Ω corresponds to lower system latency. When $\Omega = +\infty$, it equates to waiting for all units to be generated before synthesizing the speech. At the same time, the value of Ω also affects the quality of the generated speech. A smaller Ω means that the speech is divided into more segments for synthesis, which may result in discontinuities between the segments, potentially reducing the overall coherence of the speech.

To better understand the impact of Ω , we explore the system's latency, the alignment between speech and text responses, and the quality of the generated speech under different Ω settings. As shown in Table 2, when Ω is set to 10, the system's response latency is as low as 226ms, which is even lower than GPT-4o's average audio latency of 320ms. At this point, the speech response lags by an average of 1.82 words at the start. When Ω is set to $+\infty$, the latency increases to around 2 seconds. For the ASR-WER and ASR-CER metrics, we are surprised to find that as the chunk size increases, the error rates also increase. We believe there may be two reasons for this. On one hand, the vocoder may handle short unit sequences more reliably than long ones, as it is typically trained on shorter sequences. On the other hand, the ASR model we use, Whisper-large-v3, has strong robustness. Even when the speech is somewhat discontinuous with smaller Ω , it has little impact on ASR recognition accuracy. Therefore, we further evaluate the naturalness of the generated speech using the UTMOS metric. It shows that as Ω increases, the naturalness of the speech improves, since discontinuities in the speech decrease. In summary, we can adjust the value of Ω based on different scenarios to achieve a trade-off between response latency and speech quality.

4.6 DECODING TIME

Table 3 lists the average decoding times of different models on the S2TIF and S2SIF tasks. For the S2TIF task, SpeechGPT needs to first output the text instruction and then the text response, while SALMONN and Qwen2-Audio tend to produce lengthy responses. In contrast, LLaMA-Omni provides concise answers directly, resulting in significantly lower decoding times, with an average of only 1.49 seconds per instruction. For the S2SIF task, SpeechGPT serially outputs the text and speech responses, resulting in a de-

Table 3:	Average	decoding
time (s) of	different	models on
S2TIF and	1 S2SIF ta	sks.

Model	S2TIF	S2SIF
SpeechGPT	4.28	25.60
SALMONN	4.78	/
Owen2-Audio	8.42	/
LLaMA-Omni	1.49	1.92

coding time approximately 6 times longer than when generating only text responses. In contrast, LLaMA-Omni outputs both text and speech responses simultaneously and employs a non-

Model	Response
Qwen2-Audio	Wrapping a present neatly can be a bit tricky, but with some practice and patience, you can master the art of wrapping presents beautifully. Here are some steps to follow: $\n\nl.$ Start with a clean, flat surface: Find a clean, flat surface where you can work on wrapping your present. A large table or countertop works well. $\n\nl.$ Cather your supplies: You will need wrapping paper, gift wrap scissors, a ruler or measuring tape, and any other decorations you want to use (such as ribbon, bows, or stickers). $\n\nl.$ Measure the gift: Use the ruler or measuring tape to measure the width and length of the gift. Make sure to add a little extra space around the edges for wrapping. $\n\nl.$ Cut the wrapping paper: Cut the wrapping paper to the size you measured. If you have multiple pieces of wrapping paper, layer them together so that they fit neatly around the gift. $\n\nl.$ Fold the paper: Begin by folding one of the sides of the wrapping paper over the gift, crease it well, and then fold the other side over the top. This creates a simple, yet attractive fold. $\n\nl.$ Mod decorations: If you like, you can add decorations such as ribbon, bows, or stickers to the gift. Starting at the bottom of the gift, place a piece of wrapping paper over it. Bring the left side of the paper up over the gift, tuck it in tightly, and press it down. Repeat this process on the right side of the gift, bringing the right side of the paper up over the gift, tucking it in tightly, and pressing it down. $\n\n\n\n\n\n\n\n\n\n\n\n\n\n\n\n\n\n\$
SALMOON	To wrap a present neatly, you can start by laying out a clean and flat surface to work on. Then, place the present on the surface and wrap it in a piece of wrapping paper that is slightly larger than the present. Fold the paper in half and then in half again, so that the top and bottom flaps meet in the middle. Then, fold the left and right flaps in towards the center, so that they meet at the top and bottom of the present. Finally, seal the present by pressing the flaps together and using some tape to secure them.
SpeechGPT	Wrapping a present neatly requires a few simple steps. First, you should fold the paper in half and then unfold it. Then, you should place the present in the center of the paper and fold the paper around it. Finally, you should tie the ends of the paper with a ribbon or string.
LLaMA-Omni	To wrap a present neatly, start with a flat surface, place the gift in the center, and fold one edge of the wrapping paper over the gift, crease it, and tape it down. Repeat this process with the remaining edges, making sure to align them evenly and smooth out any air bubbles.

Table 4: Responses from different models for the instruction: "How do I wrap a present neatly?"

autoregressive architecture for generating discrete units. As a result, the total generation time only increases by 1.28 times, demonstrating LLaMA-Omni's advantage in decoding speed.

4.7 CASE STUDY

To intuitively understand the differences in responses from different models, we provide an example in Table 4. It can be observed that the response of Qwen2-Audio are quite lengthy and include elements such as line breaks and parentheses that cannot be synthesized into speech. The response from SALMONN is also a bit long. The style of SpeechGPT's response is more appropriate for speech interaction scenarios, but the amount of information contained in its responses is less. In contrast, the response given by LLaMA-Omni is more detailed and helpful while maintaining a concise style, outperforming previous models in speech interaction scenarios.

5 RELATED WORK

Speech/Audio Language Models With the success of language models in the field of natural language processing (Brown et al., 2020), researchers have begun exploring how to model speech or audio using language models. Early work attempted to train language models on semantic tokens or acoustic tokens of audio, enabling the generation of audio without the need for text (Lakhotia et al., 2021; Nguyen et al., 2023; Borsos et al., 2023). Furthermore, by jointly training speech tokens and text, decoder-only models like VALL-E (Wang et al., 2023b) and VioLA (Wang et al., 2023c) can perform tasks such as speech recognition, speech translation, and speech synthesis. However, the above models are not built upon LLMs. To harness the power of LLMs, many studies explore how to build speech-language models based on LLMs like LLaMA, which can be further divided into two types. The first type, represented by SpeechGPT (Zhang et al., 2023; 2024a) and AudioPaLM (Rubenstein et al., 2023), involves creating native multimodal speech-text models by adding speech tokens to the LLM's vocabulary and continuing pretraining using speech and text data. However, this approach typically requires a large amount of data and substantial computa-

tional resources. The second type typically involves adding a speech encoder before the LLM and finetuning the entire model to equip it with speech understanding capabilities (Shu et al., 2023; Deshmukh et al., 2023), such as speech recognition (Fathullah et al., 2024a; Yu et al., 2024; Ma et al., 2024c; Hono et al., 2024), speech translation (Wu et al., 2023; Wang et al., 2023a; Chen et al., 2024), or other general speech-to-text tasks (Chu et al., 2023; Tang et al., 2024; Chu et al., 2024; Fathullah et al., 2024b; Das et al., 2024; Hu et al., 2024). However, these approaches typically focus only on speech or audio understanding without the ability to generate them. Compared to previous work, LLaMA-Omni equips the LLM with both speech understanding and generation capabilities, enabling it to perform general speech instruction-following tasks. Additionally, LLaMA-Omni has a low training cost, making it convenient for development based on the latest LLMs.

Simultaneous Generation Streaming generation aims to begin producing output before the entire input is received. This capability is crucial for maintaining synchronization between speakers and listeners in various scenarios, such as streaming speech recognition and simultaneous interpretation. In the case of large language models, having a streaming speech synthesis component can significantly reduce latency between the model and its users. Popular streaming generation methods fall into three main categories: monotonic-attention-based methods (Raffel et al., 2017), CTCbased methods (Graves et al., 2006b), and Transducer-based methods (Graves, 2012). Monotonicattention-based methods modify the traditional attention-based sequence-to-sequence framework (Bahdanau, 2014) to support streaming generation. These methods rely on an external module to manage the READ/WRITE policy, which can be either fixed (e.g., Wait-k (Ma et al., 2018)) or adaptive (e.g., MMA (Ma et al., 2019), EDAtt (Papi et al., 2022), Seg2Seg (Zhang & Feng, 2024)). CTC-based methods add a blank symbol to the target vocabulary to represent a WAIT action. Streaming inference is achieved by removing adjacent repetitive tokens and blank symbols. To leverage the strengths of attention-based methods, CTC-based approaches often use a chunk-based non-autoregressive architecture (Ma et al., 2023), which has proven effective in simultaneous interpretation and streaming speech synthesis (Zhang et al., 2024b; Ma et al., 2024a). Transducer-based methods are designed to bridge the gap between the non-autoregressive nature of CTC-based methods and the autoregressive dependency between target tokens. These approaches introduce an additional predictor to capture token dependencies, and their variants have shown strong performance in simultaneous interpretation (Liu et al., 2021; Tang et al., 2023). More recently, researchers have begun adopting decoder-only large language models for streaming generation tasks (Seide et al., 2024; Guo et al., 2024), and extending them to an interruptible duplex model (Ma et al., 2024b).

6 CONCLUSION

In this paper, we propose an innovative model architecture, LLaMA-Omni, which enables lowlatency and high-quality speech interaction with LLMs. LLaMA-Omni is built upon the latest Llama-3.1-8B-Instruct model, with the addition of a speech encoder for speech understanding and a streaming speech decoder that can generate both text and speech responses simultaneously. To align the model with speech interaction scenarios, we construct a speech instruction dataset InstructionS2S-200K, which contains 200K speech instructions along with the speech responses. Experimental results show that, compared to previous speech-language models, LLaMA-Omni delivers superior responses in both content and style, with a response latency as low as 226ms. Moreover, training LLaMA-Omni requires less than 3 days on 4 GPUs, enabling rapid development of speech interaction models based on the latest LLMs. In the future, we plan to explore enhancing the expressiveness of generated speech responses and improving real-time interaction capabilities.

REFERENCES

Anonymous. Speechworthy instruction-tuned language models. https://openreview.net/ forum?id=SsAHMcacaQ, 2024. ACL ARR 2024 February Blind Submission.

Dzmitry Bahdanau. Neural machine translation by jointly learning to align and translate. *arXiv* preprint arXiv:1409.0473, 2014.

Zalán Borsos, Raphaël Marinier, Damien Vincent, Eugene Kharitonov, Olivier Pietquin, Matt Sharifi, Dominik Roblek, Olivier Teboul, David Grangier, Marco Tagliasacchi, et al. Audiolm: a language modeling approach to audio generation. *IEEE/ACM transactions on audio, speech, and language processing*, 31:2523–2533, 2023.

- Tom Brown, Benjamin Mann, Nick Ryder, Melanie Subbiah, Jared D Kaplan, Prafulla Dhariwal, Arvind Neelakantan, Pranav Shyam, Girish Sastry, Amanda Askell, Sandhini Agarwal, Ariel Herbert-Voss, Gretchen Krueger, Tom Henighan, Rewon Child, Aditya Ramesh, Daniel Ziegler, Jeffrey Wu, Clemens Winter, Chris Hesse, Mark Chen, Eric Sigler, Mateusz Litwin, Scott Gray, Benjamin Chess, Jack Clark, Christopher Berner, Sam McCandlish, Alec Radford, Ilya Sutskever, and Dario Amodei. Language models are few-shot learners. In H. Larochelle, M. Ranzato, R. Hadsell, M.F. Balcan, and H. Lin (eds.), Advances in Neural Information Processing Systems, volume 33, pp. 1877–1901. Curran Associates, Inc., 2020. URL https://proceedings.neurips.cc/paper_files/paper/2020/file/1457c0d6bfcb4967418bfb8ac142f64a-Paper.pdf.
- Xi Chen, Songyang Zhang, Qibing Bai, Kai Chen, and Satoshi Nakamura. LLaST: Improved endto-end speech translation system leveraged by large language models. In Lun-Wei Ku, Andre Martins, and Vivek Srikumar (eds.), *Findings of the Association for Computational Linguistics ACL 2024*, pp. 6976–6987, Bangkok, Thailand and virtual meeting, August 2024. Association for Computational Linguistics. URL https://aclanthology.org/2024. findings-acl.416.
- Yunfei Chu, Jin Xu, Xiaohuan Zhou, Qian Yang, Shiliang Zhang, Zhijie Yan, Chang Zhou, and Jingren Zhou. Qwen-audio: Advancing universal audio understanding via unified large-scale audio-language models. arXiv preprint arXiv:2311.07919, 2023.
- Yunfei Chu, Jin Xu, Qian Yang, Haojie Wei, Xipin Wei, Zhifang Guo, Yichong Leng, Yuanjun Lv, Jinzheng He, Junyang Lin, Chang Zhou, and Jingren Zhou. Qwen2-audio technical report. arXiv preprint arXiv:2407.10759, 2024.
- Nilaksh Das, Saket Dingliwal, Srikanth Ronanki, Rohit Paturi, David Huang, Prashant Mathur, Jie Yuan, Dhanush Bekal, Xing Niu, Sai Muralidhar Jayanthi, et al. Speechverse: A large-scale generalizable audio language model. *arXiv preprint arXiv:2405.08295*, 2024.
- Soham Deshmukh, Benjamin Elizalde, Rita Singh, and Huaming Wang. Pengi: An audio language model for audio tasks. Advances in Neural Information Processing Systems, 36:18090–18108, 2023.
- Ning Ding, Yulin Chen, Bokai Xu, Yujia Qin, Zhi Zheng, Shengding Hu, Zhiyuan Liu, Maosong Sun, and Bowen Zhou. Enhancing chat language models by scaling high-quality instructional conversations. *arXiv preprint arXiv:2305.14233*, 2023.
- Zhihao Du, Qian Chen, Shiliang Zhang, Kai Hu, Heng Lu, Yexin Yang, Hangrui Hu, Siqi Zheng, Yue Gu, Ziyang Ma, et al. Cosyvoice: A scalable multilingual zero-shot text-to-speech synthesizer based on supervised semantic tokens. arXiv preprint arXiv:2407.05407, 2024.
- Abhimanyu Dubey, Abhinav Jauhri, Abhinav Pandey, Abhishek Kadian, Ahmad Al-Dahle, Aiesha Letman, Akhil Mathur, Alan Schelten, Amy Yang, Angela Fan, et al. The llama 3 herd of models. *arXiv preprint arXiv:2407.21783*, 2024.
- Yassir Fathullah, Chunyang Wu, Egor Lakomkin, Junteng Jia, Yuan Shangguan, Ke Li, Jinxi Guo, Wenhan Xiong, Jay Mahadeokar, Ozlem Kalinli, et al. Prompting large language models with speech recognition abilities. In ICASSP 2024-2024 IEEE International Conference on Acoustics, Speech and Signal Processing (ICASSP), pp. 13351–13355. IEEE, 2024a.
- Yassir Fathullah, Chunyang Wu, Egor Lakomkin, Ke Li, Junteng Jia, Yuan Shangguan, Jay Mahadeokar, Ozlem Kalinli, Christian Fuegen, and Mike Seltzer. Audiochatllama: Towards generalpurpose speech abilities for llms. In Proceedings of the 2024 Conference of the North American Chapter of the Association for Computational Linguistics: Human Language Technologies (Volume 1: Long Papers), pp. 5522–5532, 2024b.
- Alex Graves. Sequence transduction with recurrent neural networks. *arXiv preprint arXiv:1211.3711*, 2012.

- Alex Graves, Santiago Fernández, Faustino Gomez, and Jürgen Schmidhuber. Connectionist temporal classification: Labelling unsegmented sequence data with recurrent neural networks. In *Proceedings of the 23rd International Conference on Machine Learning*, ICML '06, pp. 369–376, New York, NY, USA, 2006a. Association for Computing Machinery. ISBN 1595933832. doi: 10.1145/1143844.1143891. URL https://doi.org/10.1145/1143844.1143891.
- Alex Graves, Santiago Fernández, Faustino Gomez, and Jürgen Schmidhuber. Connectionist temporal classification: labelling unsegmented sequence data with recurrent neural networks. In Proceedings of the 23rd international conference on Machine learning, pp. 369–376, 2006b.
- Shoutao Guo, Shaolei Zhang, Zhengrui Ma, Min Zhang, and Yang Feng. Agent-simt: Agent-assisted simultaneous machine translation with large language models. arXiv preprint arXiv:2406.06910, 2024.
- Yukiya Hono, Koh Mitsuda, Tianyu Zhao, Kentaro Mitsui, Toshiaki Wakatsuki, and Kei Sawada. Integrating pre-trained speech and language models for end-to-end speech recognition. In Lun-Wei Ku, Andre Martins, and Vivek Srikumar (eds.), *Findings of the Association for Computational Linguistics ACL 2024*, pp. 13289–13305, Bangkok, Thailand and virtual meeting, August 2024. Association for Computational Linguistics. URL https://aclanthology.org/2024. findings-acl.787.
- Wei-Ning Hsu, Benjamin Bolte, Yao-Hung Hubert Tsai, Kushal Lakhotia, Ruslan Salakhutdinov, and Abdelrahman Mohamed. Hubert: Self-supervised speech representation learning by masked prediction of hidden units. *IEEE/ACM transactions on audio, speech, and language processing*, 29:3451–3460, 2021.
- Shujie Hu, Long Zhou, Shujie Liu, Sanyuan Chen, Hongkun Hao, Jing Pan, Xunying Liu, Jinyu Li, Sunit Sivasankaran, Linquan Liu, et al. Wavllm: Towards robust and adaptive speech large language model. *arXiv preprint arXiv:2404.00656*, 2024.
- Keith Ito and Linda Johnson. The lj speech dataset. https://keithito.com/ LJ-Speech-Dataset/, 2017.
- Jaehyeon Kim, Jungil Kong, and Juhee Son. Conditional variational autoencoder with adversarial learning for end-to-end text-to-speech. In *International Conference on Machine Learning*, pp. 5530–5540. PMLR, 2021.
- Jungil Kong, Jaehyeon Kim, and Jaekyoung Bae. Hifi-gan: Generative adversarial networks for efficient and high fidelity speech synthesis. In H. Larochelle, M. Ranzato, R. Hadsell, M.F. Balcan, and H. Lin (eds.), Advances in Neural Information Processing Systems, volume 33, pp. 17022–17033. Curran Associates, Inc., 2020. URL https://proceedings.neurips.cc/paper_files/paper/2020/ file/c5d736809766d46260d816d8dbc9eb44-Paper.pdf.
- Kushal Lakhotia, Eugene Kharitonov, Wei-Ning Hsu, Yossi Adi, Adam Polyak, Benjamin Bolte, Tu-Anh Nguyen, Jade Copet, Alexei Baevski, Abdelrahman Mohamed, et al. On generative spoken language modeling from raw audio. *Transactions of the Association for Computational Linguistics*, 9:1336–1354, 2021.
- Xuechen Li, Tianyi Zhang, Yann Dubois, Rohan Taori, Ishaan Gulrajani, Carlos Guestrin, Percy Liang, and Tatsunori B. Hashimoto. Alpacaeval: An automatic evaluator of instruction-following models. https://github.com/tatsu-lab/alpaca_eval, 5 2023.
- Dan Liu, Mengge Du, Xiaoxi Li, Ya Li, and Enhong Chen. Cross attention augmented transducer networks for simultaneous translation. In *Proceedings of the 2021 Conference on Empirical Methods in Natural Language Processing*, pp. 39–55, 2021.
- Mingbo Ma, Liang Huang, Hao Xiong, Renjie Zheng, Kaibo Liu, Baigong Zheng, Chuanqiang Zhang, Zhongjun He, Hairong Liu, Xing Li, et al. Stacl: Simultaneous translation with implicit anticipation and controllable latency using prefix-to-prefix framework. *arXiv preprint arXiv:1810.08398*, 2018.

- Xutai Ma, Juan Pino, James Cross, Liezl Puzon, and Jiatao Gu. Monotonic multihead attention. arXiv preprint arXiv:1909.12406, 2019.
- Zhengrui Ma, Shaolei Zhang, Shoutao Guo, Chenze Shao, Min Zhang, and Yang Feng. Nonautoregressive streaming transformer for simultaneous translation. In *Proceedings of the 2023 Conference on Empirical Methods in Natural Language Processing*, pp. 5177–5190, 2023.
- Zhengrui Ma, Qingkai Fang, Shaolei Zhang, Shoutao Guo, Yang Feng, and Min Zhang. A non-autoregressive generation framework for end-to-end simultaneous speech-to-any translation. *arXiv preprint arXiv:2406.06937*, 2024a.
- Ziyang Ma, Yakun Song, Chenpeng Du, Jian Cong, Zhuo Chen, Yuping Wang, Yuxuan Wang, and Xie Chen. Language model can listen while speaking. *arXiv preprint arXiv:2408.02622*, 2024b.
- Ziyang Ma, Guanrou Yang, Yifan Yang, Zhifu Gao, Jiaming Wang, Zhihao Du, Fan Yu, Qian Chen, Siqi Zheng, Shiliang Zhang, et al. An embarrassingly simple approach for llm with strong asr capacity. *arXiv preprint arXiv:2402.08846*, 2024c.
- Tu Anh Nguyen, Eugene Kharitonov, Jade Copet, Yossi Adi, Wei-Ning Hsu, Ali Elkahky, Paden Tomasello, Robin Algayres, Benoît Sagot, Abdelrahman Mohamed, and Emmanuel Dupoux. Generative spoken dialogue language modeling. *Transactions of the Association for Computational Linguistics*, 11:250–266, 2023. doi: 10.1162/tacl_a_00545. URL https:// aclanthology.org/2023.tacl-1.15.

OpenAI. Introducing chatgpt, 2022. URL https://openai.com/blog/chatgpt.

- OpenAI. Hello gpt-40, 2024. URL https://openai.com/index/hello-gpt-40/.
- Sara Papi, Matteo Negri, and Marco Turchi. Attention as a guide for simultaneous speech translation. arXiv preprint arXiv:2212.07850, 2022.
- Adam Polyak, Yossi Adi, Jade Copet, Eugene Kharitonov, Kushal Lakhotia, Wei-Ning Hsu, Abdelrahman Mohamed, and Emmanuel Dupoux. Speech Resynthesis from Discrete Disentangled Self-Supervised Representations. In *Proc. Interspeech* 2021, 2021.
- Alec Radford, Jong Wook Kim, Tao Xu, Greg Brockman, Christine McLeavey, and Ilya Sutskever. Robust speech recognition via large-scale weak supervision. In *International conference on machine learning*, pp. 28492–28518. PMLR, 2023.
- Colin Raffel, Minh-Thang Luong, Peter J Liu, Ron J Weiss, and Douglas Eck. Online and linear-time attention by enforcing monotonic alignments. In *International conference on machine learning*, pp. 2837–2846. PMLR, 2017.
- Paul K Rubenstein, Chulayuth Asawaroengchai, Duc Dung Nguyen, Ankur Bapna, Zalán Borsos, Félix de Chaumont Quitry, Peter Chen, Dalia El Badawy, Wei Han, Eugene Kharitonov, et al. Audiopalm: A large language model that can speak and listen. arXiv preprint arXiv:2306.12925, 2023.
- Takaaki Saeki, Detai Xin, Wataru Nakata, Tomoki Koriyama, Shinnosuke Takamichi, and Hiroshi Saruwatari. Utmos: Utokyo-sarulab system for voicemos challenge 2022. In *Interspeech 2022*, pp. 4521–4525, 2022. doi: 10.21437/Interspeech.2022-439.
- Frank Seide, Morrie Doulaty, Yangyang Shi, Yashesh Gaur, Junteng Jia, and Chunyang Wu. Speech reallm–real-time streaming speech recognition with multimodal llms by teaching the flow of time. *arXiv preprint arXiv:2406.09569*, 2024.
- Yu Shu, Siwei Dong, Guangyao Chen, Wenhao Huang, Ruihua Zhang, Daochen Shi, Qiqi Xiang, and Yemin Shi. Llasm: Large language and speech model. *arXiv preprint arXiv:2308.15930*, 2023.
- Changli Tang, Wenyi Yu, Guangzhi Sun, Xianzhao Chen, Tian Tan, Wei Li, Lu Lu, Zejun MA, and Chao Zhang. SALMONN: Towards generic hearing abilities for large language models. In *The Twelfth International Conference on Learning Representations*, 2024. URL https://openreview.net/forum?id=14rn7HpKVk.

- Yun Tang, Anna Sun, Hirofumi Inaguma, Xinyue Chen, Ning Dong, Xutai Ma, Paden Tomasello, and Juan Pino. Hybrid transducer and attention based encoder-decoder modeling for speechto-text tasks. In *Proceedings of the 61st Annual Meeting of the Association for Computational Linguistics (Volume 1: Long Papers)*, pp. 12441–12455, 2023.
- Rohan Taori, Ishaan Gulrajani, Tianyi Zhang, Yann Dubois, Xuechen Li, Carlos Guestrin, Percy Liang, and Tatsunori B. Hashimoto. Stanford alpaca: An instruction-following llama model. https://github.com/tatsu-lab/stanford_alpaca, 2023.
- Ashish Vaswani, Noam Shazeer, Niki Parmar, Jakob Uszkoreit, Llion Jones, Aidan N Gomez, Ł ukasz Kaiser, and Illia Polosukhin. Attention is all you need. In I. Guyon, U. Von Luxburg, S. Bengio, H. Wallach, R. Fergus, S. Vishwanathan, and R. Garnett (eds.), Advances in Neural Information Processing Systems, volume 30. Curran Associates, Inc., 2017. URL https://proceedings.neurips.cc/paper_files/paper/2017/ file/3f5ee243547dee91fbd053c1c4a845aa-Paper.pdf.
- Chen Wang, Minpeng Liao, Zhongqiang Huang, Jinliang Lu, Junhong Wu, Yuchen Liu, Chengqing Zong, and Jiajun Zhang. Blsp: Bootstrapping language-speech pre-training via behavior alignment of continuation writing. *arXiv preprint arXiv:2309.00916*, 2023a.
- Chengyi Wang, Sanyuan Chen, Yu Wu, Ziqiang Zhang, Long Zhou, Shujie Liu, Zhuo Chen, Yanqing Liu, Huaming Wang, Jinyu Li, et al. Neural codec language models are zero-shot text to speech synthesizers. *arXiv preprint arXiv:2301.02111*, 2023b.
- Tianrui Wang, Long Zhou, Ziqiang Zhang, Yu Wu, Shujie Liu, Yashesh Gaur, Zhuo Chen, Jinyu Li, and Furu Wei. Viola: Unified codec language models for speech recognition, synthesis, and translation. *arXiv preprint arXiv:2305.16107*, 2023c.
- Jian Wu, Yashesh Gaur, Zhuo Chen, Long Zhou, Yimeng Zhu, Tianrui Wang, Jinyu Li, Shujie Liu, Bo Ren, Linquan Liu, et al. On decoder-only architecture for speech-to-text and large language model integration. In 2023 IEEE Automatic Speech Recognition and Understanding Workshop (ASRU), pp. 1–8. IEEE, 2023.
- Wenyi Yu, Changli Tang, Guangzhi Sun, Xianzhao Chen, Tian Tan, Wei Li, Lu Lu, Zejun Ma, and Chao Zhang. Connecting speech encoder and large language model for asr. In *ICASSP 2024-2024 IEEE International Conference on Acoustics, Speech and Signal Processing (ICASSP)*, pp. 12637–12641. IEEE, 2024.
- Dong Zhang, Shimin Li, Xin Zhang, Jun Zhan, Pengyu Wang, Yaqian Zhou, and Xipeng Qiu. SpeechGPT: Empowering large language models with intrinsic cross-modal conversational abilities. In Houda Bouamor, Juan Pino, and Kalika Bali (eds.), *Findings of the Association for Computational Linguistics: EMNLP 2023*, pp. 15757–15773, Singapore, December 2023. Association for Computational Linguistics. doi: 10.18653/v1/2023.findings-emnlp.1055. URL https://aclanthology.org/2023.findings-emnlp.1055.
- Dong Zhang, Xin Zhang, Jun Zhan, Shimin Li, Yaqian Zhou, and Xipeng Qiu. Speechgpt-gen: Scaling chain-of-information speech generation. *arXiv preprint arXiv:2401.13527*, 2024a.
- Shaolei Zhang and Yang Feng. Unified segment-to-segment framework for simultaneous sequence generation. *Advances in Neural Information Processing Systems*, 36, 2024.
- Shaolei Zhang, Qingkai Fang, Shoutao Guo, Zhengrui Ma, Min Zhang, and Yang Feng. Streamspeech: Simultaneous speech-to-speech translation with multi-task learning. *arXiv preprint arXiv:2406.03049*, 2024b.

A PROMPT

Prompt for ChatGPT Scoring (Model: GPT-4o)

I need your help to evaluate the performance of several models in the speech interaction scenario. The models will receive a speech input from the user, which they need to understand and respond to with a speech output. Your task is to rate the model's responses based on the provided user input transcription [Instruction] and the model's output transcription [Response]. Please evaluate the response from two perspectives: content and style, and provide a score for each on a scale of 1 to 5.

Content (1-5 points):

1 point: The response is largely irrelevant, incorrect, or fails to address the user's query. It may be off-topic or provide incorrect information.

2 points: The response is somewhat relevant but lacks accuracy or completeness. It may only partially answer the user's question or include extraneous information.

3 points: The response is relevant and mostly accurate, but it may lack conciseness or include unnecessary details that don't contribute to the main point.

4 points: The response is relevant, accurate, and concise, providing a clear answer to the user's question without unnecessary elaboration.

5 points: The response is exceptionally relevant, accurate, and to the point. It directly addresses the user's query in a highly effective and efficient manner, providing exactly the information needed.

Style (1-5 points):

1 point: The response is poorly suited for speech interaction, possibly including structured elements like lists or being overly complex, disjointed, or difficult to understand.

2 points: The response is somewhat suitable but may be too long, too short, or awkwardly phrased, making it less effective in a speech interaction context.

3 points: The response is generally suitable for speech interaction, but it may have minor issues with length, clarity, or fluency that detract slightly from the overall effectiveness.

4 points: The response is well-suited for speech interaction, with appropriate length, clear language, and a natural flow. It is easy to understand when spoken aloud.

5 points: The response is perfectly suited for speech interaction. It is the ideal length, highly clear, and flows naturally, making it easy to follow and understand when spoken.

Below are the transcription of user's instruction and models' response: ### [Instruction]: {instruction} ### [Response]: {response}

After evaluating, please output the scores in JSON format: {"content": content score, "style": style score}. You don't need to provide any explanations.

Prompt for Instruction Rewriting (Model: Llama-3-70B-Instruct)

Below is an instruction data containing the user's instruction. I would like to generate a speech version of this instruction for training a large language model that supports speech input. Therefore, please rewrite my instruction data according to the following requirements:

1. Modify the instruction to simulate human speech, adding fillers as appropriate (but not too many 'you know', 'like', etc.).

2. The question should not contain content that cannot be synthesized by the TTS model. Numbers should be written in English words rather than Arabic numerals.

3. The question should be relatively brief without excessive verbiage.

[instruction]: {instruction}

Please output in JSON format as follows: {"question": {question}}.

Prompt for Response Generation (Model: Llama-3-70B-Instruct)

Below is the transcribed text of a user's speech query. Please provide a response to this question, which will be converted to speech using TTS. Please follow these requirements for your response:

Your response should not contain content that cannot be synthesized by the TTS model, such as parentheses, ordered lists, etc. Numbers should be written in English words rather than Arabic numerals.
 Your response should be very concise and to the point, avoiding lengthy explanations.

[instruction]: {instruction}

Please output in JSON format as follows: {"response": {response}}.